

## Prijslijst



**zalfjes**

**2**

**3 in 1 spray-flesjes**

**3**

**massagerollers**

**4**

**dagcrème**

**5**

**RVS rietjes**

**6**

**Whiskey-stenen**

**8**

# zalfjes

incl BTW (excl. statiegeld)		50ml
	<a href="#">Calendula zalf</a>	4 euro
	<a href="#">Viola Tricolor zalf</a>	4 euro
	<a href="#">Sint-Janskruid zalf</a>	4 euro
	<a href="#">Madeliefjes zalf</a>	4 euro

# 3 in 1 spray-flesjes

incl BTW (excl. statiegeld)		50ml	100ml
	<a href="#">Therapy</a>	4 euro	6 euro
	<a href="#">Focus</a>	4 euro	6 euro
	<a href="#">Harmony</a>	4 euro	6 euro






# massagerollers

incl BTW (excl. statiegeld)		15ml
	<a href="#">Relax</a>	4 euro
	<a href="#">Focus</a>	4 euro
	<a href="#">Dream</a>	4 euro
	<a href="#">Head</a>	4 euro

# dagcrème

incl BTW (excl. statiegeld)		50ml
	<a href="#">natuurlijke dagcrème</a>	5 euro

# RVS rietjes

incl BTW		1	2	3	4	5	6	7	8	9	10
	dun rietje met knik	€ 0,80	€ 1,60	€ 2,40	€ 2,60	€ 3,25	€ 3,90	€ 4,50	€ 5,00	€ 5,50	€ 6,50
	dik rietje met knik	€ 1,00	€ 2,00	€ 3,00	€ 3,40	€ 4,25	€ 5,10	€ 6,00	€ 6,50	€ 7,50	€ 8,50
	dik recht rietje	€ 1,00	€ 2,00	€ 3,00	€ 3,40	€ 4,25	€ 5,00	€ 6,00	€ 6,50	€ 7,00	€ 8,00
	lepelrietje met filter	€ 2,00	€ 4,00	€ 6,00	€ 7,00	€ 8,75	€ 10,50	€ 12,00	€ 13,00	€ 14,00	€ 15,00
	borsteltje	€ 1,00	€ 2,00	€ 3,00	€ 3,20	€ 4,00	€ 4,80	€ 5,60	€ 6,40	€ 7,20	€ 8,00





**FDA**

**FY2018**

**CERTIFICATE OF FDA FOOD REGISTRATION**

This certifies that:

**ZHEJIANG KINGVAC HOUSEWARES TECHNOLOGY CO.,LTD**  
**Room30, No.3 Donggang Road, Kecheng District, Quzhou city, Zhejiang province, China**  
has completed the FDA Food Facility Registration with the US Food & Drug Administration,  
through UCL-REG SERVICE INC.  
**Registration number: 12645342856**  
**Registration's expiration date: 12/31/2018**

**GENERAL PRODUCT CATEGORIES**

**37. IF NONE OF THE ABOVE FOOD CATEGORIES APPLY, THEN  
PRINT THE APPLICABLE FOOD  
CATEGORY OR CATEGORIES (THAT DOES NOT OR DO NOT  
APPEAR ABOVE)  
FOOD CONTACT MATERIAL "Collapsible Straw , Straw, Recyclable  
Straw"**

**TYPE OF ACTIVITY  
CONDUCTED AT  
THE FACILITY**

Manufacturer /  
Processor

UCL-REG SERVICE INC. will confirm that such registration remains effective upon request and presentation of this certificate until the end of the calendar year stated above, unless said registration is terminated after issuance of this certificate. UCL-REG SERVICE INC. makes no other representations or warranties, nor does this certificate make any representations or warranties to any person or entity other than the named certificate holder, for whose sole benefit it is issued. This certificate does not denote endorsement or approval of the certificate-holder's device or establishment by the U.S. Food and Drug Administration. UCL-REG SERVICE INC. assumes no liability to any person or entity in connection with the foregoing.

**UCL**

UCL-REGSERVICE-INC.  
602 ROCKWOOD ROAD, WILMINGTON,  
NEW CASTLE DE 19802 USA

Document number: F18268  
Issued date: August 8, 2018  
Expiration date: December 31, 2018

# Whiskey-stenen

incl BTW		1	2	3	4	5	6	7	8	9	10
	marmer	€ 1,60	€ 3,20	€ 4,80	€ 5,60	<b>€ 7,00</b>	€ 8,40	€ 9,60	€ 10,40	€ 11,20	<b>€ 12,00</b>
	graniet	€ 1,60	€ 3,20	€ 4,80	€ 5,60	<b>€ 7,00</b>	€ 8,40	€ 9,60	€ 10,40	€ 11,20	<b>€ 12,00</b>



**Test Report**

No. SHAEC1401941901

Date: 24 Feb 2014

Page 2 of 3

Test Results :

Test Part Description :

Specimen No.	SGS Sample ID	Description	Material (claimed by the client)
SN1	SHA14-019419.001	Grey stone	Stone

Leachable lead and cadmium

Test Requested : In accordance with German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 with amendments, DIN 51032:1986.  
For material: Ceramic - Leachable lead and cadmium

Test Method : With reference to EN 1388-1/2:1995, analysis was performed by ICP-OES.

Sample 001

Flatware

	<u>Vol. of 4% acetic acid used (mL)</u>	<u>Surface area (dm<sup>2</sup>)</u>
1	40	0.24

	<u>Leachable lead (mg/dm<sup>2</sup>)</u>	<u>Leachable cadmium (mg/dm<sup>2</sup>)</u>
1	<0.1	<0.01

Limit	0.8	0.07
-------	-----	------

Notes :

- (1) < = Less than
- (2) Permissible limit of Lead and Cadmium is quoted from DIN51032:1986.

**Test Report**

No. NGBFD1604705701

Date: 12 Oct 2016

Page 2 of 3

Test Results :

Test Part Description :

Specimen No.	SGS Sample ID	Description	Material (claimed by the client)
SN1	NGB16-047057.001	GREY STONE	GRANITE

Leachable lead and cadmium

Test Requested : In accordance with German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 with amendments, DIN 51032:1986, to determine leachable lead and cadmium.

Test Method : With reference to EN 1388-2:1995, Analysis was performed by ICP-OES.

Sample 001

Flatware

	<u>Vol. of 4%Acetic acid for vessel (mL)</u>	<u>Surface Area (dm<sup>2</sup>)</u>
1	162	0.97
2	162	0.97

	<u>Leachable Lead (mg/dm<sup>2</sup>)</u>	<u>Leachable Cadmium (mg/dm<sup>2</sup>)</u>
1	<0.1	<0.01
2	<0.1	<0.01

Notes :

- (1) mg/dm<sup>2</sup> = milligram per square decimeter
- (2) < = less than
- (3) Permissible limit of lead and cadmium is quoted from DIN51032:1986.



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.  
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

3<sup>rd</sup> Building, No. 889 Yishan Road Xuhui District, Shanghai China 200233 1E&E (86-21) 61402553 1E&E (86-21) 64853679 www.sgs.com.cn  
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 HL: (86-21) 61402594 HL: (86-21) 64500353 e [sgs.china@sgs.com](mailto:sgs.china@sgs.com)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.  
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CTC (China) Technical Services Co., Ltd. 18F, Houtan Building, Lijiang Industry Park, No. 1177 Lijiang Road, Ningbo National Hi-Tech Zone, Ningbo, Zhejiang, China 315040 1E&E (86-574) 89070249 www.sgs.com.cn  
中国·浙江·宁波市国家高新区凌云路1177号凌云产业园4号楼11-5层 邮编: 315040 1HL (86-574) 89070271 1ML (86-574) 89070242 e [sgs.china@sgs.com](mailto:sgs.china@sgs.com)